IN THE CLAIMS:

Please amend the claims as indicated. A complete set of the claims is included below, reflecting added subject matter (*underlining*) and deleted subject matter (*strikethrough*), as well as the current status of each claim. This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) In an initiator device having <u>a memory for responding-device data and</u> a wireless transceiver, a method for discovering a name of a responding device comprising:

broadcasting a first wireless signal to be received by said responding device; receiving a second wireless signal from said responding device, said second wireless signal sent in response to said first wireless signal and comprising an address for said responding device;

accessing [[a]] <u>said</u> memory [[cache]] comprising names of devices <u>using said</u> <u>second wireless signal</u>;

determining whether a name for said responding device is present in said memory **[[cache]]**;

transmitting a wireless request for a name to said responding device provided a name for said responding device is absent from said memory [[cache]];

receiving a name for said responding device in response to said wireless request; and

storing said name received from said responding device in said memory [[cache]], wherein said name is indexed in said memory [[cache]] using said address for said responding device and wherein said name is retrievable from said memory [[cache]] using said address.

2. (Canceled)

said responding device;

- 3. (Currently Amended) The method as recited in Claim 1 comprising: removing from said memory [[cache]] an entry for one of said devices when a total number of [[cache]] memory entries exceeds a predetermined limit, said entry comprising a name and an address.
- 4. (Currently Amended) The method as recited in Claim 3 wherein an entry is removed from said memory [[cache]] according to an aging scheme, wherein said aging scheme ranks entries according to frequency of use.
 - 5. (Currently Amended) The method as recited in Claim 1 comprising: updating said memory [[cache]] when said name for said responding device is changed.
 - 6. (Previously Presented) The method as recited in Claim 1 comprising: displaying said name on a display of said initiator device.
 - 7. (Original) The method as recited in Claim 1 wherein said initiator device and said responding device are Bluetooth-enabled devices.
- 8. (Original) The method as recited in Claim 1 wherein said initiator device is a portable computer system.
 - 9. (Currently Amended) In an initiator device having a memory and a wireless transceiver, a method for identifying a responding device by name comprising: broadcasting a first wireless signal to be received by said responding device; receiving a second wireless signal from said responding device, said second wireless signal sent in response to said first wireless signal and comprising an address for

sending a wireless paging signal to said responding device; receiving from said responding device a response to said wireless paging signal;

determining whether a name for said responding device is present in [[a]] said memory [[cache]] of said initiator device;

transmitting a wireless request for a name to said responding device provided a name for said responding device is absent from said memory [[cache]];

receiving a name for said responding device in response to said wireless request; storing said name and said address received from said responding device in said memory [[cache]], said name indexed by said address; and

using said name address to retrieve said address name from said memory **[[cache]]**.

- 10. (Canceled)
- 11. (Previously Presented) The method as recited in Claim 9 comprising: displaying said name on a display of said initiator device.
- 12. (Currently Amended) The method as recited in Claim 9 comprising: updating said memory [[cache]] when said name for said responding device is changed.
- 13. (Currently Amended) The method as recited in Claim 9 further comprising: storing in said memory [[cache]] an entry for each of a plurality of other responding devices, said entry comprising a name and an address.
- 14. (Currently Amended) The method as recited in Claim 13 further comprising: removing from said memory [[cache]] an entry for one of said responding devices when a total number of memory [[cache]] entries exceeds a predetermined limit.
- 15. (Currently Amended) The method as recited in Claim 13 wherein an entry is removed from said memory [[cache]] according to an aging scheme, wherein said aging scheme ranks entries according to frequency of use.

- 16. (Original) The method as recited in Claim 9 wherein said initiator device and said responding device are Bluetooth-enabled devices.
- 17. (Original) The method as recited in Claim 9 wherein said initiator device is a portable computer system.
 - 18. (Currently Amended) A wireless communication device comprising: a bus;
 - a wireless transceiver unit coupled to said bus and for communicating with responding devices;
 - a memory [[cache]] coupled to said bus; and
 - a processor coupled to said bus, said processor for performing a method for identifying a responding device by name, said method comprising:
 - broadcasting a first wireless signal to be received by said responding device; receiving an address for said responding device in response to said first wireless signal;

determining whether a name for said responding device is present in said memory [[cache]];

transmitting a first wireless request for a name to said responding device provided a name for said responding device is absent from said memory [[cache]];

receiving said name for said responding device in response to said first wireless request;

storing said address and said name received from said responding device in said memory [[cache]], said name indexed by said address; and

retrieving said name from said memory [[cache]] to subsequently identify said responding device in lieu of performing a second wireless request after said first wireless request, wherein said name is retrieved from said memory [[cache]] using said address.

19. (Currently Amended) The wireless communication device of Claim 18 wherein said retrieving step comprises:

broadcasting a second wireless signal to be received by said responding device; receiving said address from said responding device in response to said second wireless signal; and

retrieving from said memory [[cache]] said name corresponding to said address.

- 20. (Original) The wireless communication device of Claim 18 comprising: a display device for displaying said name obtained from said memory [[cache]].
- 21. (Currently Amended) The wireless communication device of Claim 18 wherein said method comprises:

updating said memory [[cache]] when said name for said responding device is changed.

22. (Currently Amended) The wireless communication device of Claim 18 wherein said storing step comprises:

storing in said memory [[cache]] an entry for each of a plurality of responding devices, said entry comprising a name and an address.

23. (Currently Amended) The wireless communication device of Claim 22 wherein said storing step further comprises:

removing from said memory [[cache]] an entry for one of said plurality of responding devices when a total number of [[cache]] memory entries exceeds a predetermined limit.

24. (Currently Amended) The wireless communication device of Claim 22 wherein an entry is removed from said memory [[cache]] according to an aging scheme, wherein said aging scheme ranks entries according to frequency of use.

- 25. (Original) The wireless communication device of Claim 18 wherein said wireless communication device and said responding device are Bluetooth-enabled devices.
- 26. (Original) The wireless communication device of Claim 18 wherein said wireless communication device is a portable computer system.